

ALBERO

 **GENROSE**





10"x40" Field Tile in Miel

10"x40" Field Tile in Gris | Blanco

AVAILABLE IN:

Field Tiles

Rectified Edge

















10" x 40" 10mm Matte Finish

- All sizes are NOMINAL

MADE TO ORDER FIELD TILES AND MOSAICS:

This represents a small portion of the mosaic patterns we offer.

We can cut any field tile to create a custom mosaic or field tile size as specified.

FIELD TILES		CUBES		BASKETWEAVE	
	Any 24" field tile can be cut down to a smaller size in any length and width combination with a 1" minimum.		2" 4"		1 3/8" x 3" 2" x 4"
		BRICKS		DIAMONDS	
			1" x 2" 1" x 3" 1 3/8" x 3" 2" x 4"		2"
FIELD SHAPES*		CHEVRONS		HERRINGBONE	
 Half Hexagon	6.7" Base		2" x 12"		1" x 2" 2" x 4" 5/8" x 4"
 Diamond	4"			HEXAGONS	
 Hexagon	6"		2" w/ 0.6" Squares		1 1/8" 2"
 Chevron	2" x 12" 6" x 24"			RECTANGLES	
TRAPEZOID W/ DOT		SQUARES			1" x 2" 1" x 4"
	4" x 2 1/2" w/ 5/8" Dot		1" x 1" 2" x 2" 1 3/8" x 1 3/8" 3" x 3"		

*Other sizes available upon request



Blanco



Natural



Gris



Miel

Colors shown may vary from actual product. Final selection should be made from actual product samples.



Features	Test Method	Value	
Water Absorption	ISO 10545-3	< 0.5%	
Breaking Strength	ISO 10545-4	> 1300 N	
Bending Strength	ISO 10545-4	> 35 N/mm ²	
Abrasion Resistance	ISO 10545-7	3 - Miel 4 - Gris Blanco Natural	
Cracking Resistance	ISO 10545-11	Resistant	
Frost Resistance	ISO 10545-12	Resistant	
Chemical Resistance	ISO 10545-13	Household	Acid/Alkaline Resistance
		Minimum GB	GHA
Stain Resistance	ISO 10545-14	Resistant	
DCOF (WET)	ANSI A137.1:2012. 9.6	> 0.42	
Hardness (MOHS)	EN 101	Minimum 3	

According to ANSI and MIA standards, depending on the type and size of tile, it is recommended to have at least a 1/8" wide grout joint for floor tiles in order to be able to fill the grout joint full and never less than 1/16" wide. Please refer to TCNA guidelines for more on grout recommendations.

Product Info:

- Glazed Porcelain Tile
- Matte Finish
- 10mm Thickness
- Rectified Edge
- PEI Rating = 3 - Miel
4 - Gris | Blanco | Natural
- V3 - Moderate Variation
- Frost Resistance = Yes





www.genrose.com