

**CONCORD**

 **GENROSE**







Modular Mosaic in White



Modular Mosaic in Grey



# AVAILABLE IN:

10mm Pressed Modular Mosaic		
SIZE	FINISH	COLORS
Mixes of 8.66"x8.66", 8.66"x17.3", 17.3"x17.3", 17.3"x26"	Matte	White   Grey   Dark

All Sizes are Nominal.



White



Grey



Dark

Colors shown may vary from actual product. Final selection should be made from actual product samples.





Features	Test Method	Value		
Length and Width	ISO 10545-2	± 0.3 %		
Thickness	ISO 10545-2	10 ± 3.0 %		
Straightness of Sides	ISO 10545-2	± 0.3 %		
Rectangularity	ISO 10545-2	± 0.3 %		
Surface Flatness	ISO 10545-2	± 0.2 %		
Water Absorption	ISO 10545-3	≤ 0.5%		
Breaking Strength	ISO 10545-4	>1300 N		
Modulus of Rupture	ISO 10545-4	>35 N/mm <sup>2</sup>		
Thermal Shock Resistance	ISO 10545-9	Resistant		
Crazing Resistance	ISO 10545-11	Resistant		
Frost Resistance	ISO 10545-12	Resistant		
Coefficient of Friction	-	R10		
Chemical Resistance	ISO 10545-13	Household	Low Conc.	High Conc.
		GA	GLA	GHA
Resistance to Stains	ISO 10545-14	5		

According to ANSI and MIA standards, depending on the type and size of tile, it is recommended to have at least a 1/8" wide grout joint for floor tiles in order to be able to fill the grout joint full and never less than 1/16" wide. Please refer to TCNA guidelines for more on grout recommendations.

**Product Info:**

- Color Body Porcelain Tile
- Matt Finish
- 10mm Thickness
- Pressed Edge
- V2 - Slight Shading Variation
- Frost Resistance = Yes





[www.genrose.com](http://www.genrose.com)