

INTENSA




☆☆☆☆☆
ROYAL
Hotel

Reception



24"x48" Field Tile in Mystic



24"x48" Field Tile in Stone White



24"x48" Field Tile in Stone White | Heaven



24"x48" Field Tile in Stone White | Space



24"x48" Field Tile in Mystic

AVAILABLE IN:

9mm Field Tiles		
SIZE	FINISH	COLORS
12"x24"	Brushed	Stone White Heaven Mystic Space
24"x48"	Brushed	Stone White Heaven Mystic Space



Stone White



















Heaven

MADE TO ORDER FIELD TILES AND MOSAICS:

Minimum quantity required. Contact your sales representative for more information.

This represents a small portion of the mosaic patterns we offer.

We can cut any field tile to create a custom mosaic or field tile size as specified.

FIELD TILES		CUBES		BASKETWEAVE	
	Any 24" field tile can be cut down to a smaller size in any length and width combination with a 1" minimum.		2" 4"		1 3/8" x 3" 2" x 4"
		BRICKS		DIAMONDS	
			1" x 2" 1" x 3" 1 3/8" x 3" 2" x 4"		2"
FIELD SHAPES*		CHEVRONS		HERRINGBONE	
	Half Hexagon 6.7" Base		2" x 12"		1" x 2" 2" x 4" 5/8" x 4"
	Diamond 4"				
	Hexagon 6"				
	Chevron 2" x 12" 6" x 24"	OCTAGONS		HEXAGONS	
		2" w/ 0.6" Squares		1 1/8" 2"	
TRAPEZOID W/ DOT		SQUARES		RECTANGLES	
	4" x 2 1/2" w/ 5/8" Dot		1" x 1" 2" x 2" 1 3/8" x 1 3/8" 3" x 3"		1" x 2" 1" x 4"



Mystic





Space

*Other sizes available upon request
All Sizes are Nominal.

Colors shown may vary from actual product. Final selection should be made from actual product samples.



Features	Test Method	Value		
		7 cm ≤ N < 15 cm	N ≥ 15 cm	
Sides	ISO 10545-2	mm	%	mm
		± 0.4	± 0.3	± 1.0
		± 0.5	± 5.0	± 0.5
Thickness	ISO 10545-2	± 0.5	± 5.0	± 0.5
Straightness of Sides	ISO 10545-2	± 0.4	± 0.3	± 0.8
Rectangularity	ISO 10545-2	± 0.4	± 0.3	± 1.5
Surface Flatness	ISO 10545-2	± 0.6	± 0.4	± 1.8
Water Absorption	ISO 10545-3	≤ 0.1%		
Flexion Resistance	ISO 10545-4	S ≥ 700 N < 7.5 mm S ≥ 1300 N ≥ 7.5 mm R ≥ 35 N/mm ²		
Impact Resistance	ISO 10545-5	> 0.80		
Coefficient of Linear Thermal - Expansion - Linearer	ISO 10545-8	6,7x10 ⁻⁶ /C°		
Resistance to Thermal Shocks	ISO 10545-9	Resistant		
Moisture Expansion (in mm/m)	ISO 10545-10	MAX 0.1 mm/m		
Frost Resistance	ISO 10545-12	Resistant		
Chemical Resistance	ISO 10545-12	Household - B Min		
 		This product will contribute to USGBC registered LEED projects. It will also contribute to the ANSI approved NAHB Green Building Standard ICC 700. Low Emissions Material • Zero VOC		

According to ANSI and MIA standards, depending on the type and size of tile, it is recommended to have at least a 1/8" wide grout joint for floor tiles in order to be able to fill the grout joint full and never less than 1/16" wide. Please refer to TCNA guidelines for more on grout recommendations.

Product Info:

- Color Body Porcelain Tile
- Brushed Finish
- 9mm Thickness
- Rectified Edge
- V2 - Slight Shading Variation
- Frost Resistance = Yes



www.genrose.com

Contact your sales representative for more information. All material must be inspected prior to installation. Absolutely no claims will be accepted after installation.

24"x48" Field Tile in Stone White | Space



www.genrose.com