

NORTH





24"x48" Field Tile in Carbon



24"x48" Field Tile in Chromium



24"x48" Field Tile in Carbon



24"x24" Field Tile in Lithium



24"x24" Field Tile in Palladium



24"x24" Field Tile in Palladium

AVAILABLE IN:

Field Tiles

Rectified Edge


- 12"x24" 8.4mm *Matte Finish*
- 24"x24" 9.3mm *Matte Finish*
- 24"x48" 10.3mm *Matte Finish*

Mosaics

- 2"x2" Mosaic *Matte Finish*
- 2" Hexagon Mosaic *Matte Finish*
- 6" Hexagon Mosaic *Matte Finish*

Trim Piece

3"x24" Bullnose *Matte Finish*




















- All sizes are NOMINAL

MADE TO ORDER FIELD TILES AND MOSAICS:

This represents a small portion of the mosaic patterns we offer.

We can cut any field tile to create a custom mosaic or field tile size as specified.

FIELD TILES		CUBES		BASKETWEAVE	
	Any 24" field tile can be cut down to a smaller size in any length and width combination with a 1" minimum.		2" 4"		1 ³ / ₈ "x3" 2"x4"
		BRICKS		DIAMONDS	
			1"x2" 1"x3" 1 ³ / ₈ "x3" 2"x4"		2"
FIELD SHAPES*		CHEVRONS		HERRINGBONE	
 Half Hexagon	6.7" Base		2"x12"		1"x2" 2"x4" 5/8"x4"
 Diamond	4"	OCTAGONS		HEXAGONS	
 Hexagon	6"		2" w/ 0.6" Squares		1 ¹ / ₈ " 2"
 Chevron	2"x12" 6"x24"	SQUARES		RECTANGLES	
	4"x2 ¹ / ₂ " w/ 5/8" Dot		1"x1" 1 ³ / ₈ "x1 ³ / ₈ "		1"x2" 1"x4"

*Other sizes available upon request



Lithium



Palladium




Chromium




Carbon

Colors shown may vary from actual product. Final selection should be made from actual product samples.

2"X2" MOSAIC




Lithium



Palladium




Chromium




Carbon


2" HEXAGON MOSAIC




Lithium



Palladium



Chromium



Carbon

6" HEXAGON MOSAIC



Lithium



Palladium



Chromium



Carbon

Features	Test Method	Value
Water Absorption	ASTM C373 EN ISO 10545-3	≤ 0.4 %
Abrasion Resistance	ASTM C1027 EN ISO 10545-7	4
Scratch Hardness	ANSI / ISO - (Mohs)	8
Breaking Strength	EN ISO 10545-4	≥ 380 > 1600
Shade Variation	-	V2
Slip Resistance	ANSI B101.3	MATTE ≥ 0.42 MATTE R10
Chemical Resistance	EN ISO 10545-13	Class A
Stain Resistance	ANSI ISO	Class A Class 5
Frost Resistance	EN ISO 10545-12	Pass

According to ANSI and MIA standards, depending on the type and size of tile, it is recommended to have at least a 1/8" wide grout joint for floor tiles in order to be able to fill the grout joint full and never less than 1/16" wide. Please refer to TCNA guidelines for more on grout recommendations.

Product Info:

- Color Body Porcelain Tile
- Matte Finish
- 8.4mm | 9.3mm | 10.3mm Thickness
- Rectified Edge
- PEI Rating = 4
- V2 - Slight Shading Variation
- Frost Resistance = Yes





www.genrose.com