

**RIALTO**

 **GENROSE**







24"x48" Field Tile in Fog





24"x24" Field Tile in Storm


# AVAILABLE IN:

## 9.5 mm Field Tile

- 12"x24" *Matte Finish*
- 24"x24" *Matte Finish*
- 24"x48" *Matte Finish*
- 36"x36" *Matte Finish*

## Trim Pieces


















- 3"x24" *Baseboard Matte Finish*
- 12"x24" *Stairtread Matte Finish*



- All sizes are NOMINAL

# MADE TO ORDER FIELD TILES AND MOSAICS:

This represents a small portion of the mosaic patterns we offer.  
We can cut any field tile to create a custom mosaic or field tile size as specified.


FIELD TILES		CUBES		BASKETWEAVE	
	Any 24" field tile can be cut down to a smaller size in any length and width combination with a 1" minimum.		2" 4"		1 <sup>3</sup> / <sub>8</sub> "x3" 2"x4"
		BRICKS		DIAMONDS	
			1"x2" 1"x3" 1 <sup>3</sup> / <sub>8</sub> "x3" 2"x4"		2"
FIELD SHAPES*		CHEVRONS		HERRINGBONE	
	6.7" Base Half Hexagon		2"x12"		1"x2" 2"x4" 5/8"x4"
	4" Diamond	OCTAGONS		HEXAGONS	
	6" Hexagon		2" w/ 0.6" Squares		1 <sup>1</sup> / <sub>8</sub> " 2"
	2"x12" Chevron	SQUARES		RECTANGLES	
	4"x2.5" w/ 5/8" Dot		1"x1" 1 <sup>3</sup> / <sub>8</sub> "x1 <sup>3</sup> / <sub>8</sub> " 2"x2" 3"x3"		1"x2" 1"x4"

\*Other sizes available upon request





**Rainbow**



**Fog**



**Cloud**



**Storm**

Colors shown may vary from actual product. Final selection should be made from actual product samples.





24"x48" Field Tile in Cloud

Features	Test Method	Fixed Value
Length And Width	ISO 10545-2	±0,6% (±2,00 MM)
Thickness	ISO 10545-2	±5% (±0,5 MM)
Warpages Of Edges	ISO 10545-2	±0,5% (±1,5 MM)
Wedging	ISO 10545-2	±0,5% (±2,00 MM)
Flatness	ISO 10545-2	±0,5% (±2,00 MM)
Water Absorption	ISO 10545-3	≤ 0.5%
Bending Strength	ISO 10545-4	≥ 35N/MM <sup>2</sup>
Coefficient of Linear Thermal Expansion	ISO 10545-8	≈ 7X10-6 C-1
Thermal Shock Resistance	ISO 10545-9	Resistant
Frost Resistance	ISO 10545-12	Resistant
Resistance of Chemical Attack	ISO 10545-13	Resistant
Stain Resistance	ISO 10545-14	Class 3
Colors Resistance to Light	DIN 51094	No Alteration
Slip Resistance	ANSI 137.1-2012 DCOF	> 0.42

According to ANSI and MIA standards, depending on the type and size of tile, it is recommended to have at least a 1/8" wide grout joint for floor tiles in order to be able to fill the grout joint full and never less than 1/16" wide.

**Product Info:**

- Color Body Porcelain Tile
- Matte Finish
- 9.5 mm Thickness
- Frost Resistance = Yes
- Contact your sales representative for more information





[www.genrose.com](http://www.genrose.com)